

CLAIMS**What is claimed is:**

- Sub A3
1. A system for enabling a user to create a frameset arrangement for a view comprising:
- 5 a predefined frameset arrangement presentation object that presents a plurality of predefined frameset arrangements to a user through a graphical user interface;
- a predefined frameset selection object that enables a user to select a predefined frameset arrangement through the graphical user interface; and
- 10 a view presentation object that presents a view to the user having the predefined frameset arrangement selected.
2. The system of claim 1, further comprising a frame number specification object that enables a user to specify the number of frames in the predefined frameset arrangement.
3. The system of claim 2, wherein the predefined frameset arrangement presentation object presents the predefined frameset arrangement having the
- 15 number of frames specified by the user.
4. The system of claim 1, wherein the predefined frameset arrangement presentation object presents icons, each icon representing a predefined frameset arrangement.
- 20 5. The system of claim 4, wherein the predefined frameset selection object comprises the icon presented by the predefined frameset arrangement presentation object so that the user may select the icon to select the predefined frameset arrangement that the icon represents.
6. The system of claim 1, wherein the predefined frameset arrangement
- 25 comprises specification of the size of each frame.
7. The system of claim 1, wherein the predefined frameset arrangement comprises specification of the location of each frame within the view.
8. A system for enabling a user to create a frameset arrangement for a view comprising:
- Sub A4

09337238-062299

means for presenting a plurality of predefined frameset arrangements to a user through a graphical user interface;

means for enabling a user to select a predefined frameset arrangement through a graphical user interface; and

5 means for presenting a view to the user having the selected predefined frameset arrangement.

9. The system of claim 8, further comprising means for enabling a user to specify the number of frames in the predefined frameset arrangement.

10. The system of claim 9, wherein the means for presenting a plurality of predefined frameset arrangements presents predefined frameset arrangements having the number of frames specified by the user.

11. The system of claim 8, wherein the means for presenting a plurality of predefined framesets presents icons, each icon representing a predefined frameset arrangement.

15 12. The system of claim 11, wherein the means for enabling a user to select a predefined frameset arrangement comprises the icon presented by the means for presenting a plurality of predefined frameset arrangements so that the user may select the icon to select the predefined frameset arrangement that the icon represents.

20 13. The system of claim 8, wherein the predefined frameset arrangement comprises specification of the size of each frame.

14. The system of claim 8, wherein the predefined frameset arrangement comprises specification of the location of each frame within the view.

25 15. A method for enabling a user to create a frameset arrangement for a view comprising the steps of:

presenting a plurality of predefined frameset arrangements to a user through a graphical user interface;

enabling a user to select a predefined frameset arrangement through the graphical user interface; and

30 presenting a view to the user having the predefined frameset arrangement selected.

Sub
A5

09337538-062209

17. The method of claim 16, further comprising the step of presenting predefined frameset arrangements having the number of frames specified by the user.

19. The method of claim 18, further comprising the step of enabling the user to select the icon to select the predefined frameset arrangement that the icon represents.

21. The method of claim 15, wherein the predefined frameset arrangement specifies the location of each frame within the view.

computer readable program code for causing a computer to present a plurality of predefined frameset arrangements to a user through a graphical user interface;

computer readable program code for causing a computer to present a view to the user having the selected predefined frameset arrangement.

23. The computer usable medium of claim 22, further comprising computer readable program code for causing a computer to enable a user to specify the number of frames in the predefined frameset arrangement.

24. The computer usable medium of claim 23, wherein the computer
30 readable program code for causing a computer to present a plurality of

Parameter	Control		100 mg/kg		200 mg/kg		400 mg/kg		800 mg/kg		1600 mg/kg	
	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD	Mean	SD
Body weight (g)	210.0	10.0	210.0	10.0	210.0	10.0	210.0	10.0	210.0	10.0	210.0	10.0
Food intake (g)	10.0	2.0	10.0	2.0	10.0	2.0	10.0	2.0	10.0	2.0	10.0	2.0
Water intake (ml)	5.0	1.0	5.0	1.0	5.0	1.0	5.0	1.0	5.0	1.0	5.0	1.0
Urine volume (ml)	1.0	0.2	1.0	0.2	1.0	0.2	1.0	0.2	1.0	0.2	1.0	0.2
Urine pH	7.0	0.5	7.0	0.5	7.0	0.5	7.0	0.5	7.0	0.5	7.0	0.5
Urine creatinine (mg/dl)	0.5	0.1	0.5	0.1	0.5	0.1	0.5	0.1	0.5	0.1	0.5	0.1
Urine protein (mg/dl)	0.1	0.05	0.1	0.05	0.1	0.05	0.1	0.05	0.1	0.05	0.1	0.05
Urine glucose (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine ketones (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine bilirubin (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine urobilinogen (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine hemoglobin (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine nitrite (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine leukocytes (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine erythrocytes (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine casts (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine crystals (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine mucus (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine sediment (mg/dl)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
Urine specific gravity	1.020	0.005	1.020	0.005	1.020	0.005	1.020	0.005	1.020	0.005	1.020	0.005
Urine osmolality (mOsm/kg)	300	20	300	20	300	20	300	20	300	20	300	20
Urine sodium (mEq/L)	100	10	100	10	100	10	100	10	100	10	100	10
Urine potassium (mEq/L)	50	5	50	5	50	5	50	5	50	5	50	5
Urine calcium (mEq/L)	20	2	20	2	20	2	20	2	20	2	20	2
Urine magnesium (mEq/L)	10	1	10	1	10	1	10	1	10	1	10	1
Urine chloride (mEq/L)	30	3	30	3	30	3	30	3	30	3	30	3
Urine sulfate (mEq/L)	10	1	10	1	10	1	10	1	10	1	10	1
Urine phosphate (mEq/L)	5	0.5	5	0.5	5	0.5	5	0.5	5	0.5	5	0.5
Urine bicarbonate (mEq/L)	20	2	20	2	20	2	20	2	20	2	20	2
Urine lactate (mEq/L)	0	0	0	0	0	0	0	0	0	0	0	0
Urine urea (mg/dl)	10	2	10	2	10	2	10	2	10	2	10	2
Urine creatinine (mg/dl)	0.5	0.1	0.5									

Sub
A6

predefined frameset arrangements causes a computer to present predefined frameset arrangements having the number of frames specified by the user.

25. The computer usable medium of claim 22, wherein the computer readable program code for causing a computer to present a plurality of predefined frameset arrangements causes a computer to present icons, each icon
5 representing a predefined frameset arrangement.

26. The computer usable medium of claim 25, wherein the computer readable program code for causing a computer to enable a user to select a predefined frameset arrangement comprises code that enables the user to select
10 the icon and thereby select the predefined frameset arrangement that the icon represents.

27. The computer usable medium of claim 22, further comprising computer readable program code for causing a computer to specify the size of each frame.

28. The computer usable medium of claim 22, further comprising computer
15 readable program code for causing a computer to specify the location of each frame within the view.

Add
B2

09337538-0622299